

Prevalence of Diagnosed Diabetes¹ in Maryland Adults by County, 2002-2006 (Five year average)

	Total N ² (%)		Gender		Race				Age							
			Male	Female	White	Black	18-44	45-64	65+							
Allegany	5,183	(9.1)	2,382	(8.7)	2,802	(9.4)	4,499	(8.8)	*	584	(2.4)	1,949	(9.9)	2,498	(20.3)	
Anne Arundel	30,403	(8.2)	15,116	(8.5)	15,287	(7.8)	20,962	(7.2)	5,924	(13.6)	5,842	(3.2)	15,086	(12.0)	8,413	(14.1)
Baltimore	39,307	(6.7)	17,180	(6.3)	22,127	(7.1)	21,687	(5.8)	11,958	(8.4)	3,981	(1.4)	15,333	(8.2)	19,240	(19.5)
Calvert	2,918	(5.1)	1,190	(4.2)	1,728	(5.9)	2,539	(5.1)	236	(4.3)	658	(2.4)	1,388	(6.3)	872	(11.8)
Caroline	2,780	(11.2)	1,143	(9.4)	1,638	(12.9)	1,936	(10.2)	*	366	(3.1)	1,402	(15.8)	1,012	(25.3)	
Carroll	8,026	(6.3)	3,243	(5.8)	4,783	(6.6)	7,193	(6.4)	*	481	(0.8)	5,068	(11.0)	2,477	(12.9)	
Cecil	4,834	(6.6)	3,006	(8.0)	1,828	(5.2)	4,462	(7.0)	*	956	(2.4)	2,237	(8.9)	1,623	(19.1)	
Charles	4,428	(4.7)	2,211	(4.4)	2,217	(5.1)	2,729	(4.7)	1,426	(5.6)	592	(1.1)	2,283	(7.9)	1,522	(15.8)
Dorchester	2,258	(9.4)	650	(6.0)	1,608	(12.4)	1,334	(8.1)	756	(11.4)	286	(2.3)	998	(13.5)	973	(25.9)
Frederick	9,594	(6.0)	4,352	(5.6)	5,242	(6.5)	7,866	(5.8)	683	(8.9)	1,141	(1.3)	3,757	(7.2)	4,520	(23.9)
Garrett	2,266	(8.5)	998	(8.2)	1,268	(8.7)	2,055	(8.5)	*	602	(4.7)	1,117	(12.7)	547	(11.2)	
Harford	12,653	(7.3)	6,945	(8.4)	5,708	(6.3)	10,849	(7.8)	968	(5.3)	2,566	(3.0)	6,648	(10.6)	3,440	(13.8)
Howard	11,232	(5.5)	6,111	(6.2)	5,121	(4.9)	7,314	(5.1)	1,965	(6.4)	3,076	(2.8)	3,742	(5.2)	4,414	(20.3)
Kent	1,731	(11.6)	971	(12.3)	760	(10.8)	1,234	(9.8)	*	81	(1.5)	1,010	(16.2)	641	(21.3)	
Montgomery	37,522	(5.3)	22,873	(6.5)	14,649	(4.2)	21,615	(5.1)	7,186	(6.8)	5,242	(1.5)	17,296	(7.2)	14,795	(14.5)
Prince George's	51,219	(9.0)	24,947	(9.3)	26,272	(8.8)	9,539	(6.7)	33,540	(10.0)	13,128	(4.3)	22,460	(12.3)	15,438	(23.1)
Queen Anne's	1,662	(5.3)	808	(5.6)	854	(5.1)	1,392	(5.3)	*	57	(0.4)	728	(7.0)	870	(15.5)	
St. Mary's	5,123	(7.5)	3,110	(8.6)	2,013	(6.3)	3,517	(6.6)	1,445	(15.2)	885	(2.4)	2,084	(9.8)	1,935	(22.7)
Somerset	1,488	(11.4)	379	(6.2)	1,109	(16.1)	710	(8.6)	*	198	(3.3)	706	(16.8)	584	(22.3)	
Talbot	2,601	(9.1)	1,461	(10.1)	1,140	(8.0)	1,957	(8.1)	*	398	(3.7)	979	(9.7)	1,224	(16.4)	
Washington	8,501	(7.8)	3,782	(6.9)	4,720	(8.8)	7,473	(7.6)	*	1,010	(1.9)	4,026	(11.4)	3,432	(18.1)	
Wicomico	5,632	(8.8)	2,925	(10.2)	2,708	(7.8)	4,360	(8.9)	942	(8.2)	1,019	(3.3)	2,203	(10.9)	2,379	(20.0)
Worcester	3,629	(9.3)	1,966	(11.2)	1,663	(7.8)	3,150	(9.5)	*	366	(2.9)	1,253	(9.2)	2,009	(16.0)	
Baltimore City	45,088	(9.7)	20,034	(9.4)	25,053	(10.0)	12,438	(7.9)	29,823	(11.4)	8,144	(3.3)	19,634	(14.1)	16,083	(22.3)
Maryland	300,079	(7.4)	147,783	(7.5)	152,296	(7.2)	162,808	(6.5)	100,853	(9.8)	51,660	(2.5)	133,387	(9.9)	110,939	(18.3)

1. Excludes gestational diabetes

2. Estimated number of persons with diabetes (weighted N)

* Estimates based on a sample size less than 5 are statistically unstable, and are not displayed.

Source: Maryland BRFSS (www.marylandbrfss.org)

Compiled by the Center for Preventive Health Services, Maryland Department of Health and Mental Hygiene

August 2007